



## COVID-19

To maximize protection from the [Delta variant](#) and prevent possibly spreading it to others, get vaccinated as soon as you can and wear a mask indoors in public if you are in [an area of substantial or high transmission](#).

# Holiday Celebrations

Updated Oct. 15, 2021

## Safer Ways to Celebrate Holidays

Holiday traditions are important for families and children. There are several ways to enjoy holiday traditions and protect your health. Because many generations tend to gather to celebrate holidays, the best way to minimize COVID-19 risk and keep your family and friends safer is to get vaccinated if you're eligible.

Here are safer ways to celebrate the holidays:

### Generally:

- Protect those not yet eligible for vaccination such as young children by getting yourself and other eligible people around them vaccinated.
- Wear well-fitting masks over your nose and mouth if you are in public indoor settings if you are not fully vaccinated.
  - Even those who are fully vaccinated should wear a mask in public indoor settings in communities with substantial to high transmission.
    - Outdoors is safer than indoors.
  - Avoid crowded, poorly ventilated spaces.
  - If you are sick or have symptoms, don't host or attend a gathering.
  - Get [tested](#) if you have symptoms of COVID-19 or have a close contact with someone who has COVID-19.

If you are considering traveling for a holiday or event, visit CDC's [Travel](#) page to help you decide what is best for you and your family. CDC still recommends delaying travel until you are [fully vaccinated](#).

- If you are not fully vaccinated and must [travel](#), follow CDC's [domestic travel](#) or [international travel](#) recommendations for unvaccinated people.
- If you will be traveling in a group or family with unvaccinated people, choose safer travel options.
- Everyone, even people who are fully vaccinated, is [required to wear a mask](#) on public transportation and follow [international travel recommendations](#).

### Special considerations:

People who have a condition or are taking medications that weaken their immune system may not be fully protected even if they are fully vaccinated and have received an [additional dose](#). They should continue to take all [precautions recommended for unvaccinated people, including wearing a well-fitted mask](#), until advised otherwise by their healthcare provider.

- You might choose to wear a mask regardless of the level of transmission if a member of your household has a weakened immune system, is at increased risk for severe disease, or is unvaccinated.
- If you are gathering with a group of people from multiple households and potentially from different parts of the country, you could consider additional precautions (e.g., avoiding crowded indoor spaces before travel, taking a test) in advance of gathering to further reduce risk.
- Do NOT put a mask on children younger than 2 years old.

By working together, we can enjoy safer holidays, travel, and protect our own health as well as the health of our family and friends.

Last Updated Oct. 15, 2021

Content source: [National Center for Immunization and Respiratory Diseases \(NCIRD\)](#), Division of Viral Diseases



-